


SPECIFICATION K5A RH 10x6x10

DIMENSION : (m/m) 	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">A</td> <td style="width: 10%;">10,00</td> <td style="width: 10%;">±</td> <td style="width: 10%;">0,30</td> <td style="width: 10%;">m/m</td> </tr> <tr> <td>B</td> <td>10,00</td> <td>±</td> <td>0,40</td> <td>m/m</td> </tr> <tr> <td>C</td> <td>6,00</td> <td>±</td> <td>0,30</td> <td>m/m</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>	A	10,00	±	0,30	m/m	B	10,00	±	0,40	m/m	C	6,00	±	0,30	m/m																				
A	10,00	±	0,30	m/m																																
B	10,00	±	0,40	m/m																																
C	6,00	±	0,30	m/m																																

SPECIFICATION			TEST REPORT					
Z at 25 MHZ	30 (Min)	Ω	Meas. Item	Impedance (Ω)		Dimension(mm)		
Z at 100MHZ	65 (Min)	Ω		25MHz	100MHz	A	B	C
			1	39,00	81,00	10,12	10,11	6,12
			2	39,00	81,00	10,08	10,13	6,04
			3	40,00	80,00	10,06	10,09	6,01
			4	40,00	79,00	10,1	10,1	6,11
			5	40,00	79,00	10,12	10,09	6,09
			6	39,00	80,00	10,09	10,05	6,07
			7	39,00	79,00	10,15	10,07	6,08
			8	40,00	80,00	10,11	10,10	6,07
			9	40,00	78,00	10,15	10,08	6,07
			10	40,00	80,00	10,16	10,11	6,07
			X	39,60	79,70	10,11	10,09	6,07
			R	1,00	3,00	0,10	0,08	0,11



TEST INSTRUMENT: <input checked="" type="checkbox"/> HP 4294A <input checked="" type="checkbox"/> HP 4286A <input type="checkbox"/> HP 4291B <input type="checkbox"/> HP 4285A <input type="checkbox"/> ZEN TECH 3302 <input type="checkbox"/> ZEN TECH 1320		
uiac: 700	Wire: 線徑 2U.E.W 0.65ψ* 100mm 0.5TS	
REMARK:	PURCHASER CONFIRMED	
Approved by	Checked by	drawn by